

## RANGE INFORMATION



## WUNDERWALL-EL





A Booth system utilising our EL work modular range.

**Wunderwall** creates strong free-standing railway booths, as an alternative to expensive joinery structures that are currently used to permanently partition off seating areas. **Wunderwall** can be disassembled and relocated in under an hour.

Available in 2 heights (high & low back), create railway banquettes, corridors, zoned collaborative areas, banks of back to back booths and flexible meeting spaces with this versatile product.

The **Wunderwall** surfaces can be equipped with a variety of accessories to suit the client's work environment, including rear mounted additional work tables and laptop shelves (client supplied accessories can be used subject to suitability).

## TECHNICAL INFORMATION

-  This scorecard has been produced in accordance with the internationally recognised ISO 14021:2016 standard and is intended to provide accurate, informative and verifiable data on the environmental profile of our products.
-  All upholstery materials meet a minimum fire rating standard of BSEN 1021 1&2
- CMHR Foam meets BS5852 Furniture & Furnishings (Fire) (Safety) Regulations 1988
-  Internal timber frames are supplied with a 10 year warranty
- Soft fillings are supplied with a 7 year warranty
- Upholstery material is subject to the manufacturer's own warranty.
-  Local supply chains source 90% of the materials used in manufacture from within a 60 mile radius of the High Wycombe workshop.
- REnew, REupholster, REfresh, REpair, REdesign, REstore, REimagine, REvitalise, REpurpose, existing Davison Highley furniture.

## COMPANY CERTIFICATIONS



Davison Highley's environmental Management System (EMS) is verified to the international ISO 14001 standard.



Environmental and social sustainability is certified to the FISP standard.



Timber is responsibly sourced from sustainable forests with full certification to the FSC® standard on request.




FIRA Membership




Everything is designed and manufactured at the High Wycombe workshop.


## DATA SUMMARY




Material type by Mass (Kg)




Embodied Energy (MJ)<sup>1</sup>



Embodied Carbon (KgCO<sub>2</sub>e)<sup>2</sup>



Recycled content by Mass (kg)<sup>3</sup>



Recyclability by Mass (Kg)<sup>4</sup>

Legend: Timber & Board (Green), Fabric & Textiles (Teal), Foam & Fillings (Pink), Metals (Blue), Plastic (Purple), Packaging (Light Green)

- The above data is based on the average figures across the entire Wunderwall-EL range, excluding additional tables.

1) Total primary energy consumed from direct and indirect process (A1-A3) expressed in Megajoules (MJ)

2) Total greenhouse gas emissions emitted (A1-A3) expressed in carbon dioxide equivalent (KgCO<sub>2</sub>e)

3) Recycled content calculated in accordance with the ISO 14021 standard for pre- and post-consumer materials and aligned with agreed definitions for both

4) Recyclable content calculated in line with established definitions whereby a product, or material, is recyclable if it is effectively sorted, processed and/or sold as recycle in the UK


Learn more at [www.davisonhighley.co.uk/sustainability](http://www.davisonhighley.co.uk/sustainability)

All Scorecard data has been independently verified by:



## DESIGN INFORMATION

### WUNDERWALL-EL LOW BACK 2 SEATER BOOTH WDR-ELW 02L




- Booth system using our EL Work Modular range.
- Suitable for work, breakout, cafe, restaurant areas.
- Upholstery finishes are available from our fabric, faux leather and leather bands.
- Height adjustable legs.
- Utilise the rear panel with additional work tables or laptop shelves.
- Fully customisable- monitors, writing boards, lighting, power modules.
- This design can be tailored on request.

## ENVIRONMENTAL DATA

Component material	Material type by mass (%Kg)	Embodied energy (MJ) <sup>1</sup>	Embodied carbon (KgCO2e) <sup>2</sup>	Recycled content by mass (Kg) <sup>3</sup>	Recyclability by Mass (Kg) <sup>4</sup>
Plywood	31.9%	393.7	21.3	19.2%	31.3%
Hardboard	7.4%	98.0	3.1	3.7%	7.3%
MDF & Laminate	16.5%	149.2	5.0	3.3%	14.0%
Fabric <sup>3</sup>	19.9%	406.7	20.2	4.0%	19.9%
Foam	9.7%	1140.3	54.1	3.9%	8.7%
Aluminium	9.9%	1256.6	14.4	7.4%	9.9%
Steel	1.9%	31.7	5.7	1.2%	1.9%
Recycled Plastic	2.7%	25.4	1.3	2.7%	2.7%
		<b>3501.6</b> MJ	<b>125.1</b> KgCO2e	<b>45.2 %</b> Kg	<b>95.8 %</b> Kg

- No prohibited or restricted substances, including heavy metals, phthalates or biocides
  - No SVHCs present at concentrations >0.1% in accordance with REACH
  - Water-based adhesives used in manufacturing
  - Low formaldehyde emissions of wood-based components (<20µg/m<sup>3</sup>)
  - All Scorecard data independently verified by Dragonfly Sustainability
  - Data is calculated using a non-specific fabric, speak to us about using recycled or environmentally friendly materials.
1. Total primary energy consumed from direct and indirect process (A1-A3) expressed in Megajoules (MJ)
  2. Total greenhouse gas emissions emitted (A1-A3) expressed in carbon dioxide equivalent (KgCO2e)
  3. Recycled content calculated in accordance with the ISO 14021 standard for pre- and post-consumer materials and aligned with agreed definitions for both.
  4. Recyclable content calculated in line with established definitions whereby a product, or material, is recyclable if it is effectively sorted, processed and/or sold as recycle in the UK.


## ADDITIONAL INFORMATION

-  Learn more at [www.davisonhighley.co.uk/sustainability](http://www.davisonhighley.co.uk/sustainability)
-  View the range at [www.davisonhighley.co.uk/collections/Wunderwall-EL](http://www.davisonhighley.co.uk/collections/Wunderwall-EL)
-  Download 2D & 3D CAD at [www.davisonhighley.co.uk/product-downloads](http://www.davisonhighley.co.uk/product-downloads)



## DESIGN INFORMATION

### WUNDERWALL-EL LOW BACK 4 SEATER BOOTH WDR-ELW 04L




- Booth system using our EL Work Modular range.
- Suitable for work, breakout, cafe, restaurant areas.
- Upholstery finishes are available from our fabric, faux leather and leather bands.
- Height adjustable legs.
- Utilise the rear panel with additional work tables or laptop shelves.
- Fully customisable- monitors, writing boards, lighting, power modules.
- This design can be tailored on request.

## ENVIRONMENTAL DATA

Component material	Material type by mass (%Kg)	Embodied energy (MJ) <sup>1</sup>	Embodied carbon (KgCO2e) <sup>2</sup>	Recycled content by mass (Kg) <sup>3</sup>	Recyclability by Mass (Kg) <sup>4</sup>
Plywood	31.7%	545.9	29.5	19.0%	31.0%
Hardboard	7.6%	139.9	4.5	3.8%	7.5%
MDF & Laminate	22.0%	277.6	9.3	4.4%	18.7%
Fabric <sup>3</sup>	17.1%	486.1	24.1	3.4%	17.1%
Foam	11.0%	1812.9	86.0	4.4%	9.9%
Aluminium	5.6%	998.6	11.5	4.2%	5.6%
Steel	1.4%	33.3	6.0	0.9%	1.4%
Recycled Plastic	3.6%	47.6	2.4	3.6%	3.6%
		<b>4341.9</b> MJ	<b>173.3</b> KgCO2e	<b>43.7 %</b> Kg	<b>94.8 %</b> Kg

- No prohibited or restricted substances, including heavy metals, phthalates or biocides
  - No SVHCs present at concentrations >0.1% in accordance with REACH
  - Water-based adhesives used in manufacturing
  - Low formaldehyde emissions of wood-based components (<20µg/m<sup>3</sup>)
  - All Scorecard data independently verified by Dragonfly Sustainability
  - Data is calculated using a non-specific fabric, speak to us about using recycled or environmentally friendly materials.
1. Total primary energy consumed from direct and indirect process (A1-A3) expressed in Megajoules (MJ)
  2. Total greenhouse gas emissions emitted (A1-A3) expressed in carbon dioxide equivalent (KgCO2e)
  3. Recycled content calculated in accordance with the ISO 14021 standard for pre- and post-consumer materials and aligned with agreed definitions for both.
  4. Recyclable content calculated in line with established definitions whereby a product, or material, is recyclable if it is effectively sorted, processed and/or sold as recycle in the UK.


## ADDITIONAL INFORMATION

-  Learn more at [www.davisonhighley.co.uk/sustainability](http://www.davisonhighley.co.uk/sustainability)
-  View the range at [www.davisonhighley.co.uk/collections/Wunderwall-EL](http://www.davisonhighley.co.uk/collections/Wunderwall-EL)
-  Download 2D & 3D CAD at [www.davisonhighley.co.uk/product-downloads](http://www.davisonhighley.co.uk/product-downloads)



## DESIGN INFORMATION

### WUNDERWALL-EL LOW BACK 6 SEATER BOOTH WDR-ELW 06L




- Booth system using our EL Work Modular range.
- Suitable for work, breakout, cafe, restaurant areas.
- Upholstery finishes are available from our fabric, faux leather and leather bands.
- Height adjustable legs.
- Utilise the rear panel with additional work tables or laptop shelves.
- Fully customisable- monitors, writing boards, lighting, power modules.
- This design can be tailored on request.

## ENVIRONMENTAL DATA

Component material	Material type by mass (%Kg)	Embodied energy (MJ) <sup>1</sup>	Embodied carbon (KgCO <sub>2</sub> e) <sup>2</sup>	Recycled content by mass (Kg) <sup>3</sup>	Recyclability by Mass (Kg) <sup>4</sup>
Plywood	29.6%	630.3	34.0	17.8%	29.0%
Hardboard	7.4%	167.9	5.4	3.7%	7.2%
MDF & Laminate	24.6%	383.8	12.9	4.7%	20.9%
Fabric <sup>3</sup>	16.1%	565.4	28.0	3.2%	16.1%
Foam	12.9%	2620.0	124.2	5.2%	11.6%
Aluminium	4.6%	998.6	11.5	3.4%	4.6%
Steel	1.2%	33.3	6.0	0.7%	1.2%
Recycled Plastic	3.7%	60.3	3.0	3.7%	3.7%
		<b>5459.6</b> MJ	<b>225.1</b> KgCO <sub>2</sub> e	<b>42.3 %</b> Kg	<b>94.3 %</b> Kg

- No prohibited or restricted substances, including heavy metals, phthalates or biocides
  - No SVHCs present at concentrations >0.1% in accordance with REACH
  - Water-based adhesives used in manufacturing
  - Low formaldehyde emissions of wood-based components (<20µg/m<sup>3</sup>)
  - All Scorecard data independently verified by Dragonfly Sustainability
  - Data is calculated using a non-specific fabric, speak to us about using recycled or environmentally friendly materials.
1. Total primary energy consumed from direct and indirect process (A1-A3) expressed in Megajoules (MJ)
  2. Total greenhouse gas emissions emitted (A1-A3) expressed in carbon dioxide equivalent (KgCO<sub>2</sub>e)
  3. Recycled content calculated in accordance with the ISO 14021 standard for pre- and post-consumer materials and aligned with agreed definitions for both.
  4. Recyclable content calculated in line with established definitions whereby a product, or material, is recyclable if it is effectively sorted, processed and/or sold as recycle in the UK.


## ADDITIONAL INFORMATION

-  Learn more at [www.davisonhighley.co.uk/sustainability](http://www.davisonhighley.co.uk/sustainability)
-  View the range at [www.davisonhighley.co.uk/collections/Wunderwall-EL](http://www.davisonhighley.co.uk/collections/Wunderwall-EL)
-  Download 2D & 3D CAD at [www.davisonhighley.co.uk/product-downloads](http://www.davisonhighley.co.uk/product-downloads)



## DESIGN INFORMATION

### WUNDERWALL-EL HIGH BACK 2 SEATER BOOTH WDR-ELW 02H



- Booth system using our EL Work Modular range.
- Suitable for work, breakout, cafe, restaurant areas.
- Upholstery finishes are available from our fabric, faux leather and leather bands.
- Height adjustable legs.
- Utilise the rear panel with additional work tables or laptop shelves.
- Fully customisable- monitors, writing boards, lighting, power modules.
- This design can be tailored on request.

## ENVIRONMENTAL DATA

Component material	Material type by mass (%Kg)	Embodied energy (MJ) <sup>1</sup>	Embodied carbon (KgCO2e) <sup>2</sup>	Recycled content by mass (Kg) <sup>3</sup>	Recyclability by Mass (Kg) <sup>4</sup>
Plywood	37.9%	556.0	30.0	22.8%	37.2%
Hardboard	8.6%	134.5	4.3	4.3%	8.4%
MDF & Laminate	13.9%	149.2	5.0	2.7%	11.8%
Fabric <sup>3</sup>	17.2%	416.6	20.7	3.4%	17.2%
Foam	10.6%	1475.2	69.9	4.2%	9.5%
Aluminium	6.6%	998.6	11.5	5.0%	6.6%
Steel	1.7%	33.3	6.0	1.0%	1.7%
Recycled Plastic	3.5%	39.7	2.0	3.5%	3.5%
		<b>3803.1</b> MJ	<b>149.4</b> KgCO2e	<b>46.9 %</b> Kg	<b>95.9 %</b> Kg

- No prohibited or restricted substances, including heavy metals, phthalates or biocides
  - No SVHCs present at concentrations >0.1% in accordance with REACH
  - Water-based adhesives used in manufacturing
  - Low formaldehyde emissions of wood-based components (<20µg/m<sup>3</sup>)
  - All Scorecard data independently verified by Dragonfly Sustainability
  - Data is calculated using a non-specific fabric, speak to us about using recycled or environmentally friendly materials.
1. Total primary energy consumed from direct and indirect process (A1-A3) expressed in Megajoules (MJ)
  2. Total greenhouse gas emissions emitted (A1-A3) expressed in carbon dioxide equivalent (KgCO2e)
  3. Recycled content calculated in accordance with the ISO 14021 standard for pre- and post-consumer materials and aligned with agreed definitions for both.
  4. Recyclable content calculated in line with established definitions whereby a product, or material, is recyclable if it is effectively sorted, processed and/or sold as recycle in the UK.


## ADDITIONAL INFORMATION

-  Learn more at [www.davisonhighley.co.uk/sustainability](http://www.davisonhighley.co.uk/sustainability)
-  View the range at [www.davisonhighley.co.uk/collections/Wunderwall-EL](http://www.davisonhighley.co.uk/collections/Wunderwall-EL)
-  Download 2D & 3D CAD at [www.davisonhighley.co.uk/product-downloads](http://www.davisonhighley.co.uk/product-downloads)



## DESIGN INFORMATION

### WUNDERWALL-EL HIGH BACK 4 SEATER BOOTH WDR-ELW 04H



- Booth system using our EL Work Modular range.
- Suitable for work, breakout, cafe, restaurant areas.
- Upholstery finishes are available from our fabric, faux leather and leather bands.
- Height adjustable legs.
- Utilise the rear panel with additional work tables or laptop shelves.
- Fully customisable- monitors, writing boards, lighting, power modules.
- This design can be tailored on request.

## ENVIRONMENTAL DATA

Component material	Material type by mass (%Kg)	Embodied energy (MJ) <sup>1</sup>	Embodied carbon (KgCO2e) <sup>2</sup>	Recycled content by mass (Kg) <sup>3</sup>	Recyclability by Mass (Kg) <sup>4</sup>
Plywood	35.8%	727.8	39.3	21.5%	35.1%
Hardboard	8.1%	176.4	5.6	4.1%	8.0%
MDF & Laminate	18.6%	277.6	9.3	3.6%	15.8%
Fabric <sup>3</sup>	14.8%	496.0	24.6	3.0%	14.8%
Foam	11.9%	2313.2	109.7	4.8%	10.7%
Aluminium	4.8%	998.6	11.5	3.6%	4.8%
Steel	1.2%	33.3	6.0	0.7%	1.2%
Recycled Plastic	4.7%	74.4	3.7	4.7%	4.7%
		<b>5097.3</b> MJ	<b>209.7</b> KgCO2e	<b>45.9 %</b> Kg	<b>95.1 %</b> Kg

- No prohibited or restricted substances, including heavy metals, phthalates or biocides
  - No SVHCs present at concentrations >0.1% in accordance with REACH
  - Water-based adhesives used in manufacturing
  - Low formaldehyde emissions of wood-based components (<20µg/m<sup>3</sup>)
  - All Scorecard data independently verified by Dragonfly Sustainability
  - Data is calculated using a non-specific fabric, speak to us about using recycled or environmentally friendly materials.
1. Total primary energy consumed from direct and indirect process (A1-A3) expressed in Megajoules (MJ)
  2. Total greenhouse gas emissions emitted (A1-A3) expressed in carbon dioxide equivalent (KgCO2e)
  3. Recycled content calculated in accordance with the ISO 14021 standard for pre- and post-consumer materials and aligned with agreed definitions for both.
  4. Recyclable content calculated in line with established definitions whereby a product, or material, is recyclable if it is effectively sorted, processed and/or sold as recycle in the UK.


## ADDITIONAL INFORMATION

-  Learn more at [www.davisonhighley.co.uk/sustainability](http://www.davisonhighley.co.uk/sustainability)
-  View the range at [www.davisonhighley.co.uk/collections/Wunderwall-EL](http://www.davisonhighley.co.uk/collections/Wunderwall-EL)
-  Download 2D & 3D CAD at [www.davisonhighley.co.uk/product-downloads](http://www.davisonhighley.co.uk/product-downloads)



## DESIGN INFORMATION

### WUNDERWALL-EL HIGH BACK 6 SEATER BOOTH WDR-ELW 06H



- Booth system using our EL Work Modular range.
- Suitable for work, breakout, cafe, restaurant areas.
- Upholstery finishes are available from our fabric, faux leather and leather bands.
- Height adjustable legs.
- Utilise the rear panel with additional work tables or laptop shelves.
- Fully customisable- monitors, writing boards, lighting, power modules.
- This design can be tailored on request.

## ENVIRONMENTAL DATA

Component material	Material type by mass (%Kg)	Embodied energy (MJ) <sup>1</sup>	Embodied carbon (KgCO <sub>2</sub> e) <sup>2</sup>	Recycled content by mass (Kg) <sup>3</sup>	Recyclability by Mass (Kg) <sup>4</sup>
Plywood	32.1%	773.0	41.7	19.2%	31.4%
Hardboard	7.9%	204.4	6.5	4.0%	7.8%
MDF & Laminate	21.7%	383.8	12.9	4.3%	18.4%
Fabric <sup>3</sup>	18.4%	734.1	36.4	3.7%	18.4%
Foam	11.6%	2664.0	126.3	4.6%	10.4%
Aluminium	4.0%	998.6	11.5	3.0%	4.0%
Steel	1.0%	33.3	6.0	0.6%	1.0%
Recycled Plastic	3.2%	60.3	3.0	3.2%	3.2%
		<b>5851.4</b> MJ	<b>244.4</b> KgCO <sub>2</sub> e	<b>42.7 %</b> Kg	<b>94.8 %</b> Kg

- No prohibited or restricted substances, including heavy metals, phthalates or biocides
  - No SVHCs present at concentrations >0.1% in accordance with REACH
  - Water-based adhesives used in manufacturing
  - Low formaldehyde emissions of wood-based components (<20µg/m<sup>3</sup>)
  - All Scorecard data independently verified by Dragonfly Sustainability
  - Data is calculated using a non-specific fabric, speak to us about using recycled or environmentally friendly materials.
1. Total primary energy consumed from direct and indirect process (A1-A3) expressed in Megajoules (MJ)
  2. Total greenhouse gas emissions emitted (A1-A3) expressed in carbon dioxide equivalent (KgCO<sub>2</sub>e)
  3. Recycled content calculated in accordance with the ISO 14021 standard for pre- and post-consumer materials and aligned with agreed definitions for both.
  4. Recyclable content calculated in line with established definitions whereby a product, or material, is recyclable if it is effectively sorted, processed and/or sold as recycle in the UK.


## ADDITIONAL INFORMATION

-  Learn more at [www.davisonhighley.co.uk/sustainability](http://www.davisonhighley.co.uk/sustainability)
-  View the range at [www.davisonhighley.co.uk/collections/Wunderwall-EL](http://www.davisonhighley.co.uk/collections/Wunderwall-EL)
-  Download 2D & 3D CAD at [www.davisonhighley.co.uk/product-downloads](http://www.davisonhighley.co.uk/product-downloads)



## DESIGN INFORMATION

### WUNDERWALL-EL LOW BACK 2 SEATER BOOTH WITH EXTENDED WALL WDR-ELW 02L-E



- Booth system using our EL Work Modular range.
- Suitable for work, breakout, cafe, restaurant areas.
- Upholstery finishes are available from our fabric, faux leather and leather bands.
- Height adjustable legs.
- Utilise the rear panel with additional work tables or laptop shelves.
- Fully customisable- monitors, writing boards, lighting, power modules.
- This design can be tailored on request.

## ENVIRONMENTAL DATA

Component material	Material type by mass (%Kg)	Embodied energy (MJ) <sup>1</sup>	Embodied carbon (KgCO2e) <sup>2</sup>	Recycled content by mass (Kg) <sup>3</sup>	Recyclability by Mass (Kg) <sup>4</sup>
Plywood	31.9%	464.4	25.1	22.3%	36.4%
Hardboard	7.4%	116.1	3.7	4.4%	8.5%
MDF & Laminate	16.5%	149.2	5.0	3.3%	13.8%
Fabric <sup>3</sup>	19.9%	416.6	20.7	4.0%	20.2%
Foam	9.7%	1184.2	56.1	4.0%	8.9%
Aluminium	9.9%	258.0	3.0	1.5%	2.0%
Steel	1.9%	52.5	9.5	1.9%	3.1%
Plastic	0.03%	2.9	0.1	0.0%	0.03%
Recycled Plastic	2.7%	25.4	1.3	2.6%	2.6%
		<b>2669.3</b> MJ	<b>124.4</b> KgCO2e	<b>43.9 %</b> Kg	<b>95.6 %</b> Kg

- No prohibited or restricted substances, including heavy metals, phthalates or biocides
- No SVHCs present at concentrations >0.1% in accordance with REACH
- Water-based adhesives used in manufacturing
- Low formaldehyde emissions of wood-based components (<20µg/m<sup>3</sup>)
- All Scorecard data independently verified by Dragonfly Sustainability
- Data is calculated using a non-specific fabric, speak to us about using recycled or environmentally friendly materials.

1. Total primary energy consumed from direct and indirect process (A1-A3) expressed in Megajoules (MJ)
2. Total greenhouse gas emissions emitted (A1-A3) expressed in carbon dioxide equivalent (KgCO2e)
3. Recycled content calculated in accordance with the ISO 14021 standard for pre- and post-consumer materials and aligned with agreed definitions for both.
4. Recyclable content calculated in line with established definitions whereby a product, or material, is recyclable if it is effectively sorted, processed and/or sold as recycle in the UK.


## ADDITIONAL INFORMATION

-  Learn more at [www.davisonhighley.co.uk/sustainability](http://www.davisonhighley.co.uk/sustainability)
-  View the range at [www.davisonhighley.co.uk/collections/Wunderwall-EL](http://www.davisonhighley.co.uk/collections/Wunderwall-EL)
-  Download 2D & 3D CAD at [www.davisonhighley.co.uk/product-downloads](http://www.davisonhighley.co.uk/product-downloads)



## DESIGN INFORMATION

### WUNDERWALL-EL LOW BACK 4 SEATER BOOTH WITH EXTENDED WALL WDR-ELW 04L-E



- Booth system using our EL Work Modular range.
- Suitable for work, breakout, cafe, restaurant areas.
- Upholstery finishes are available from our fabric, faux leather and leather bands.
- Height adjustable legs.
- Utilise the rear panel with additional work tables or laptop shelves.
- Fully customisable- monitors, writing boards, lighting, power modules.
- This design can be tailored on request.

## ENVIRONMENTAL DATA

Component material	Material type by mass (%Kg)	Embodied energy (MJ) <sup>1</sup>	Embodied carbon (KgCO2e) <sup>2</sup>	Recycled content by mass (Kg) <sup>3</sup>	Recyclability by Mass (Kg) <sup>4</sup>
Plywood	33.6%	616.6	33.3	20.1%	32.9%
Hardboard	8.1%	158.0	5.0	4.0%	7.9%
MDF & Laminate	20.6%	277.6	9.3	4.1%	17.5%
Fabric <sup>3</sup>	16.3%	496.0	24.6	3.3%	16.3%
Foam	10.6%	1856.8	88.0	4.2%	9.5%
Aluminium	5.3%	998.6	11.5	4.0%	5.3%
Steel	2.1%	52.5	9.5	1.3%	2.1%
Plastic	0.03%	2.9	0.1	0.0%	0.03%
Recycled Plastic	3.4%	47.6	2.4	3.4%	3.4%
		<b>4506.7 MJ</b>	<b>183.7 KgCO2e</b>	<b>44.4 % Kg</b>	<b>95.0 % Kg</b>

- No prohibited or restricted substances, including heavy metals, phthalates or biocides
- No SVHCs present at concentrations >0.1% in accordance with REACH
- Water-based adhesives used in manufacturing
- Low formaldehyde emissions of wood-based components (<20µg/m<sup>3</sup>)
- All Scorecard data independently verified by Dragonfly Sustainability
- Data is calculated using a non-specific fabric, speak to us about using recycled or environmentally friendly materials.

1. Total primary energy consumed from direct and indirect process (A1-A3) expressed in Megajoules (MJ)
2. Total greenhouse gas emissions emitted (A1-A3) expressed in carbon dioxide equivalent (KgCO2e)
3. Recycled content calculated in accordance with the ISO 14021 standard for pre- and post-consumer materials and aligned with agreed definitions for both.
4. Recyclable content calculated in line with established definitions whereby a product, or material, is recyclable if it is effectively sorted, processed and/or sold as recycle in the UK.


## ADDITIONAL INFORMATION

-  Learn more at [www.davisonhighley.co.uk/sustainability](http://www.davisonhighley.co.uk/sustainability)
-  View the range at [www.davisonhighley.co.uk/collections/Wunderwall-EL](http://www.davisonhighley.co.uk/collections/Wunderwall-EL)
-  Download 2D & 3D CAD at [www.davisonhighley.co.uk/product-downloads](http://www.davisonhighley.co.uk/product-downloads)



## DESIGN INFORMATION

### WUNDERWALL-EL LOW BACK 6 SEATER BOOTH WITH EXTENDED WALL WDR-ELW 06L-E



- Booth system using our EL Work Modular range.
- Suitable for work, breakout, cafe, restaurant areas.
- Upholstery finishes are available from our fabric, faux leather and leather bands.
- Height adjustable legs.
- Utilise the rear panel with additional work tables or laptop shelves.
- Fully customisable- monitors, writing boards, lighting, power modules.
- This design can be tailored on request.

## ENVIRONMENTAL DATA

Component material	Material type by mass (%Kg)	Embodied energy (MJ) <sup>1</sup>	Embodied carbon (KgCO2e) <sup>2</sup>	Recycled content by mass (Kg) <sup>3</sup>	Recyclability by Mass (Kg) <sup>4</sup>
Plywood	31.3%	701.1	37.9	18.8%	30.7%
Hardboard	7.8%	186.0	5.9	3.9%	7.6%
MDF & Laminate	23.4%	383.8	12.9	4.4%	19.9%
Fabric <sup>3</sup>	15.5%	575.4	28.5	3.1%	15.5%
Foam	12.5%	2664.0	126.3	5.0%	11.2%
Aluminium	4.3%	998.6	11.5	3.2%	4.3%
Steel	1.7%	52.5	9.5	1.0%	1.7%
Plastic	0.03%	2.9	0.1	0.0%	0.03%
Recycled Plastic	3.5%	60.3	3.0	3.5%	3.5%
		<b>5624.5</b> MJ	<b>235.6</b> KgCO2e	<b>43.0 %</b> Kg	<b>94.5 %</b> Kg

- No prohibited or restricted substances, including heavy metals, phthalates or biocides
  - No SVHCs present at concentrations >0.1% in accordance with REACH
  - Water-based adhesives used in manufacturing
  - Low formaldehyde emissions of wood-based components (<20µg/m<sup>3</sup>)
  - All Scorecard data independently verified by Dragonfly Sustainability
  - Data is calculated using a non-specific fabric, speak to us about using recycled or environmentally friendly materials.
1. Total primary energy consumed from direct and indirect process (A1-A3) expressed in Megajoules (MJ)
  2. Total greenhouse gas emissions emitted (A1-A3) expressed in carbon dioxide equivalent (KgCO2e)
  3. Recycled content calculated in accordance with the ISO 14021 standard for pre- and post-consumer materials and aligned with agreed definitions for both.
  4. Recyclable content calculated in line with established definitions whereby a product, or material, is recyclable if it is effectively sorted, processed and/or sold as recycle in the UK.


## ADDITIONAL INFORMATION

-  Learn more at [www.davisonhighley.co.uk/sustainability](http://www.davisonhighley.co.uk/sustainability)
-  View the range at [www.davisonhighley.co.uk/collections/Wunderwall-EL](http://www.davisonhighley.co.uk/collections/Wunderwall-EL)
-  Download 2D & 3D CAD at [www.davisonhighley.co.uk/product-downloads](http://www.davisonhighley.co.uk/product-downloads)



## DESIGN INFORMATION

### WUNDERWALL-EL HIGH BACK 2 SEATER BOOTH WITH EXTENDED WALL WDR-ELW 02H-E



- Booth system using our EL Work Modular range.
- Suitable for work, breakout, cafe, restaurant areas.
- Upholstery finishes are available from our fabric, faux leather and leather bands.
- Height adjustable legs.
- Utilise the rear panel with additional work tables or laptop shelves.
- Fully customisable- monitors, writing boards, lighting, power modules.
- This design can be tailored on request.


## ENVIRONMENTAL DATA

Component material	Material type by mass (%Kg)	Embodied energy (MJ) <sup>1</sup>	Embodied carbon (KgCO2e) <sup>2</sup>	Recycled content by mass (Kg) <sup>3</sup>	Recyclability by Mass (Kg) <sup>4</sup>
Plywood	37.3%	626.7	33.8	22.4%	36.6%
Hardboard	8.5%	152.6	4.9	4.3%	8.4%
MDF & Laminate	12.1%	149.2	5.0	2.4%	10.3%
Fabric <sup>3</sup>	21.4%	595.2	29.5	4.3%	21.4%
Foam	9.4%	1504.5	71.3	3.8%	8.5%
Aluminium	5.8%	998.6	11.5	4.3%	5.8%
Steel	2.3%	52.5	9.5	1.4%	2.3%
Plastic	0.03%	2.9	0.1	0.0%	0.03%
Recycled Plastic	3.1%	39.7	2.0	3.1%	3.1%
		<b>4121.9</b> MJ	<b>167.6</b> KgCO2e	<b>45.9 %</b> Kg	<b>96.3 %</b> Kg

- No prohibited or restricted substances, including heavy metals, phthalates or biocides
- No SVHCs present at concentrations >0.1% in accordance with REACH
- Water-based adhesives used in manufacturing
- Low formaldehyde emissions of wood-based components (<20µg/m<sup>3</sup>)
- All Scorecard data independently verified by Dragonfly Sustainability
- Data is calculated using a non-specific fabric, speak to us about using recycled or environmentally friendly materials.

1. Total primary energy consumed from direct and indirect process (A1-A3) expressed in Megajoules (MJ)
2. Total greenhouse gas emissions emitted (A1-A3) expressed in carbon dioxide equivalent (KgCO2e)
3. Recycled content calculated in accordance with the ISO 14021 standard for pre- and post-consumer materials and aligned with agreed definitions for both.
4. Recyclable content calculated in line with established definitions whereby a product, or material, is recyclable if it is effectively sorted, processed and/or sold as recycle in the UK.


## ADDITIONAL INFORMATION

-  Learn more at [www.davisonhighley.co.uk/sustainability](http://www.davisonhighley.co.uk/sustainability)
-  View the range at [www.davisonhighley.co.uk/collections/Wunderwall-EL](http://www.davisonhighley.co.uk/collections/Wunderwall-EL)
-  Download 2D & 3D CAD at [www.davisonhighley.co.uk/product-downloads](http://www.davisonhighley.co.uk/product-downloads)



## DESIGN INFORMATION

### WUNDERWALL-EL HIGH BACK 4 SEATER BOOTH WITH EXTENDED WALL WDR-ELW 04H-E



- Booth system using our EL Work Modular range.
- Suitable for work, breakout, cafe, restaurant areas.
- Upholstery finishes are available from our fabric, faux leather and leather bands.
- Height adjustable legs.
- Utilise the rear panel with additional work tables or laptop shelves.
- Fully customisable- monitors, writing boards, lighting, power modules.
- This design can be tailored on request.

## ENVIRONMENTAL DATA

Component material	Material type by mass (%Kg)	Embodied energy (MJ) <sup>1</sup>	Embodied carbon (KgCO2e) <sup>2</sup>	Recycled content by mass (Kg) <sup>3</sup>	Recyclability by Mass (Kg) <sup>4</sup>
Plywood	35.2%	798.5	43.1	21.1%	34.5%
Hardboard	8.0%	194.5	6.2	4.0%	7.9%
MDF & Laminate	16.7%	277.6	9.3	3.3%	14.2%
Fabric <sup>3</sup>	19.0%	714.2	35.4	3.8%	19.0%
Foam	10.8%	2342.5	111.1	4.3%	9.7%
Aluminium	4.3%	998.6	11.5	3.2%	4.3%
Steel	1.7%	52.5	9.5	1.0%	1.7%
Plastic	0.03%	2.9	0.1	0.0%	0.03%
Recycled Plastic	4.2%	74.4	3.7	4.2%	4.2%
		<b>5455.8</b> MJ	<b>229.9</b> KgCO2e	<b>45.0 %</b> Kg	<b>95.6 %</b> Kg

- No prohibited or restricted substances, including heavy metals, phthalates or biocides
  - No SVHCs present at concentrations >0.1% in accordance with REACH
  - Water-based adhesives used in manufacturing
  - Low formaldehyde emissions of wood-based components (<20µg/m<sup>3</sup>)
  - All Scorecard data independently verified by Dragonfly Sustainability
  - Data is calculated using a non-specific fabric, speak to us about using recycled or environmentally friendly materials.
1. Total primary energy consumed from direct and indirect process (A1-A3) expressed in Megajoules (MJ)
  2. Total greenhouse gas emissions emitted (A1-A3) expressed in carbon dioxide equivalent (KgCO2e)
  3. Recycled content calculated in accordance with the ISO 14021 standard for pre- and post-consumer materials and aligned with agreed definitions for both.
  4. Recyclable content calculated in line with established definitions whereby a product, or material, is recyclable if it is effectively sorted, processed and/or sold as recycle in the UK.


## ADDITIONAL INFORMATION

-  Learn more at [www.davisonhighley.co.uk/sustainability](http://www.davisonhighley.co.uk/sustainability)
-  View the range at [www.davisonhighley.co.uk/collections/Wunderwall-EL](http://www.davisonhighley.co.uk/collections/Wunderwall-EL)
-  Download 2D & 3D CAD at [www.davisonhighley.co.uk/product-downloads](http://www.davisonhighley.co.uk/product-downloads)



## DESIGN INFORMATION

### WUNDERWALL-EL HIGH BACK 6 SEATER BOOTH WITH EXTENDED WALL WDR-ELW 06H-E



- Booth system using our EL Work Modular range.
- Suitable for work, breakout, cafe, restaurant areas.
- Upholstery finishes are available from our fabric, faux leather and leather bands.
- Height adjustable legs.
- Utilise the rear panel with additional work tables or laptop shelves.
- Fully customisable- monitors, writing boards, lighting, power modules.
- This design can be tailored on request.

## ENVIRONMENTAL DATA

Component material	Material type by mass (%Kg)	Embodied energy (MJ) <sup>1</sup>	Embodied carbon (KgCO2e) <sup>2</sup>	Recycled content by mass (Kg) <sup>3</sup>	Recyclability by Mass (Kg) <sup>4</sup>
Plywood	32.4%	883.0	47.7	19.4%	31.7%
Hardboard	7.6%	222.5	7.1	3.8%	7.5%
MDF & Laminate	19.2%	383.8	12.9	3.6%	16.3%
Fabric <sup>3</sup>	18.5%	833.3	41.3	3.7%	18.5%
Foam	12.9%	3348.1	158.7	5.1%	11.6%
Aluminium	3.6%	998.6	11.5	2.7%	3.6%
Steel	1.4%	52.5	9.5	0.9%	1.4%
Plastic	0.03%	2.9	0.1	0.0%	0.03%
Recycled Plastic	4.5%	94.2	4.7	4.5%	4.5%
		<b>6818.9</b> MJ	<b>293.5</b> KgCO2e	<b>43.6 %</b> Kg	<b>95.0 %</b> Kg

- No prohibited or restricted substances, including heavy metals, phthalates or biocides
  - No SVHCs present at concentrations >0.1% in accordance with REACH
  - Water-based adhesives used in manufacturing
  - Low formaldehyde emissions of wood-based components (<20µg/m<sup>3</sup>)
  - All Scorecard data independently verified by Dragonfly Sustainability
  - Data is calculated using a non-specific fabric, speak to us about using recycled or environmentally friendly materials.
1. Total primary energy consumed from direct and indirect process (A1-A3) expressed in Megajoules (MJ)
  2. Total greenhouse gas emissions emitted (A1-A3) expressed in carbon dioxide equivalent (KgCO2e)
  3. Recycled content calculated in accordance with the ISO 14021 standard for pre- and post-consumer materials and aligned with agreed definitions for both.
  4. Recyclable content calculated in line with established definitions whereby a product, or material, is recyclable if it is effectively sorted, processed and/or sold as recycle in the UK.


## ADDITIONAL INFORMATION

-  Learn more at [www.davisonhighley.co.uk/sustainability](http://www.davisonhighley.co.uk/sustainability)
-  View the range at [www.davisonhighley.co.uk/collections/Wunderwall-EL](http://www.davisonhighley.co.uk/collections/Wunderwall-EL)
-  Download 2D & 3D CAD at [www.davisonhighley.co.uk/product-downloads](http://www.davisonhighley.co.uk/product-downloads)



## DESIGN INFORMATION

### WUNDERWALL-EL ADDITIONAL WUNDERWALL 4 SEATER WORK TABLE WDR-ELW 04-WT



- Booth system using our EL Work Modular range.
- Suitable for work, breakout, cafe, restaurant areas.
- Upholstery finishes are available from our fabric, faux leather and leather bands.
- Height adjustable legs.
- Utilise the rear panel with additional work tables or laptop shelves.
- Fully customisable- monitors, writing boards, lighting, power modules.
- This design can be tailored on request.


## ENVIRONMENTAL DATA

Component material	Material type by mass (%Kg)	Embodied energy (MJ) <sup>1</sup>	Embodied carbon (KgCO2e) <sup>2</sup>	Recycled content by mass (Kg) <sup>3</sup>	Recyclability by Mass (Kg) <sup>4</sup>
MDF & Laminate	65.0%	146.0	4.9	21.8%	55.3%
Aluminium	23.5%	740.6	8.5	17.6%	23.5%
Steel	5.6%	23.0	4.2	3.4%	5.6%
Recycled Plastic	5.9%	13.9	0.7	5.9%	5.9%
		<b>923.6</b> MJ	<b>18.3</b> KgCO2e	<b>48.7 %</b> Kg	<b>90.2 %</b> Kg

- No prohibited or restricted substances, including heavy metals, phthalates or biocides
- No SVHCs present at concentrations >0.1% in accordance with REACH
- Water-based adhesives used in manufacturing
- Low formaldehyde emissions of wood-based components (<20µg/m<sup>3</sup>)
- All Scorecard data independently verified by Dragonfly Sustainability
- Data is calculated using a non-specific fabric, speak to us about using recycled or environmentally friendly materials.

1. Total primary energy consumed from direct and indirect process (A1-A3) expressed in Megajoules (MJ)
2. Total greenhouse gas emissions emitted (A1-A3) expressed in carbon dioxide equivalent (KgCO2e)
3. Recycled content calculated in accordance with the ISO 14021 standard for pre- and post-consumer materials and aligned with agreed definitions for both.
4. Recyclable content calculated in line with established definitions whereby a product, or material, is recyclable if it is effectively sorted, processed and/or sold as recycle in the UK.


## ADDITIONAL INFORMATION

-  Learn more at [www.davisonhighley.co.uk/sustainability](http://www.davisonhighley.co.uk/sustainability)
-  View the range at [www.davisonhighley.co.uk/collections/Wunderwall-EL](http://www.davisonhighley.co.uk/collections/Wunderwall-EL)
-  Download 2D & 3D CAD at [www.davisonhighley.co.uk/product-downloads](http://www.davisonhighley.co.uk/product-downloads)



## DESIGN INFORMATION

### WUNDERWALL-EL ADDITIONAL WUNDERWALL 6 SEATER WORK TABLE WDR-ELW 04-WT



- Booth system using our EL Work Modular range.
- Suitable for work, breakout, cafe, restaurant areas.
- Upholstery finishes are available from our fabric, faux leather and leather bands.
- Height adjustable legs.
- Utilise the rear panel with additional work tables or laptop shelves.
- Fully customisable- monitors, writing boards, lighting, power modules.
- This design can be tailored on request.




## ENVIRONMENTAL DATA

Component material	Material type by mass (%Kg)	Embodied energy (MJ) <sup>1</sup>	Embodied carbon (KgCO2e) <sup>2</sup>	Recycled content by mass (Kg) <sup>3</sup>	Recyclability by Mass (Kg) <sup>4</sup>
MDF & Laminate	71.6%	214.6	7.2	28.0%	60.9%
Aluminium	17.6%	740.6	8.5	13.2%	17.6%
Steel	4.2%	23.0	4.2	2.5%	4.2%
Recycled Plastic	6.6%	20.9	1.0	6.6%	6.6%
		<b>999.2 MJ</b>	<b>20.9 KgCO2e</b>	<b>50.3 %</b>	<b>89.3 %</b>

- No prohibited or restricted substances, including heavy metals, phthalates or biocides
- No SVHCs present at concentrations >0.1% in accordance with REACH
- Water-based adhesives used in manufacturing
- Low formaldehyde emissions of wood-based components (<20µg/m<sup>3</sup>)
- All Scorecard data independently verified by Dragonfly Sustainability
- Data is calculated using a non-specific fabric, speak to us about using recycled or environmentally friendly materials.

1. Total primary energy consumed from direct and indirect process (A1-A3) expressed in Megajoules (MJ)
2. Total greenhouse gas emissions emitted (A1-A3) expressed in carbon dioxide equivalent (KgCO2e)
3. Recycled content calculated in accordance with the ISO 14021 standard for pre- and post-consumer materials and aligned with agreed definitions for both.
4. Recyclable content calculated in line with established definitions whereby a product, or material, is recyclable if it is effectively sorted, processed and/or sold as recycle in the UK.


## ADDITIONAL INFORMATION

-  Learn more at [www.davisonhighley.co.uk/sustainability](http://www.davisonhighley.co.uk/sustainability)
-  View the range at [www.davisonhighley.co.uk/collections/Wunderwall-EL](http://www.davisonhighley.co.uk/collections/Wunderwall-EL)
-  Download 2D & 3D CAD at [www.davisonhighley.co.uk/product-downloads](http://www.davisonhighley.co.uk/product-downloads)



## DESIGN INFORMATION

### WUNDERWALL-EL ADDITIONAL WUNDERWALL LAPTOP SHELF WDR-ELW LS



- Booth system using our EL Work Modular range.
- Suitable for work, breakout, cafe, restaurant areas.
- Upholstery finishes are available from our fabric, faux leather and leather bands.
- Height adjustable legs.
- Utilise the rear panel with additional work tables or laptop shelves.
- Fully customisable- monitors, writing boards, lighting, power modules.
- This design can be tailored on request.

## ENVIRONMENTAL DATA

Component material	Material type by mass (%Kg)	Embodied energy (MJ) <sup>1</sup>	Embodied carbon (KgCO2e) <sup>2</sup>	Recycled content by mass (Kg) <sup>3</sup>	Recyclability by Mass (Kg) <sup>4</sup>
MDF & Laminate	82.2%	131.3	4.4	28.6%	69.8%
Steel	15.8%	46.1	8.3	9.5%	15.8%
Recycled Plastic	2.1%	3.5	0.2	2.1%	2.1%
		<b>180.8 MJ</b>	<b>12.9 KgCO2e</b>	<b>40.2 % Kg</b>	<b>87.7 % Kg</b>

- No prohibited or restricted substances, including heavy metals, phthalates or biocides
  - No SVHCs present at concentrations >0.1% in accordance with REACH
  - Water-based adhesives used in manufacturing
  - Low formaldehyde emissions of wood-based components (<20µg/m<sup>3</sup>)
  - All Scorecard data independently verified by Dragonfly Sustainability
  - Data is calculated using a non-specific fabric, speak to us about using recycled or environmentally friendly materials.
1. Total primary energy consumed from direct and indirect process (A1-A3) expressed in Megajoules (MJ)
  2. Total greenhouse gas emissions emitted (A1-A3) expressed in carbon dioxide equivalent (KgCO2e)
  3. Recycled content calculated in accordance with the ISO 14021 standard for pre- and post-consumer materials and aligned with agreed definitions for both.
  4. Recyclable content calculated in line with established definitions whereby a product, or material, is recyclable if it is effectively sorted, processed and/or sold as recycle in the UK.

## ADDITIONAL INFORMATION

-  Learn more at [www.davisonhighley.co.uk/sustainability](http://www.davisonhighley.co.uk/sustainability)
-  View the range at [www.davisonhighley.co.uk/collections/Wunderwall-EL](http://www.davisonhighley.co.uk/collections/Wunderwall-EL)
-  Download 2D & 3D CAD at [www.davisonhighley.co.uk/product-downloads](http://www.davisonhighley.co.uk/product-downloads)

