




# Wunderwall-Rolo

## Environmental Scorecard February 2026


# DAVISON HIGHLEY




### DATA SUMMARY




Material type by Mass (Kg)




Embodied Energy (MJ)<sup>1</sup>



Embodied Carbon (KgCO2e)<sup>2</sup>



Recycled content by Mass (Kg)<sup>3</sup>



Recyclability by Mass (Kg)<sup>4</sup>

### TECHNICAL INFORMATION



- This scorecard has been produced in accordance with the internationally recognised ISO 14021:2016 standard and is intended to provide accurate, informative and verifiable data on the environmental profile of our products.



- All upholstery materials meet a minimum fire rating standard of BSEN1021 1&2
- CMHR Foam meets BS5852 Furniture & Furnishings (Fire) (Safety) Regulations 1988



- Internal timber frames are supplied with a 10 year warranty
- Soft fillings are supplied with a 7 year warranty
- Upholstery material is subject to the manufacturer's own warranty.



- Local supply chains source 90% of the materials used in manufacture from within a 60 mile radius of the High Wycombe workshop.
- REnew, REupholster, REfresh, REpair, REdesign, REstore, REimagine, REvitalise, REpurpose, existing Davison Highley furniture.

### COMPANY CERTIFICATIONS



Davison Highley's environmental Management System (EMS) is verified to the international ISO 14001 standard.



Timber is responsibly sourced from sustainable forests with full certification to the FSC® standard on request.



FIRA Membership



Environmental and social sustainability is certified to the FISP standard.

### MADE IN BRITAIN

Everything is designed and manufactured at the High Wycombe workshop.

Learn more at <https://davisonhighley.co.uk/sustainability/>

All Scorecard data has been independently verified by:



● Timber & Board ● Textiles ● PU foam ● Sustainable foam ● Metals ● Plastic ● Packaging

- The above data is a summary of the entire Wunderwall- Rolo range

1) Total primary energy consumed from direct and indirect process (A1-A3) expressed in Megajoules (MJ)

2) Total greenhouse gas emissions emitted (A1-A3) expressed in carbon dioxide equivalent (KgCO2e)


3) Recycled content calculated in accordance with the ISO 14021 standard for pre- and post-consumer materials and aligned with agreed definitions for both

4) Recyclable content calculated in line with established definitions whereby a product, or material, is recyclable if it is effectively sorted, processed and/or sold as recycle in the UK



### Wunderwall-Rolo 2 seater booth with flat ends on metal legs

WDR-ROL 02/F-ML



- Booth system using our Rolo banquette range.
- Suitable for work, breakout, cafe, restaurant areas.
- Upholstery finishes are available from our standard price bands, however not all fabrics are suitable for the organic shape of the design. Please contact us to discuss the suitability of fabrics when ordering. Leather, vinyl, velvet's and mohair's are not available.
- Option of turned tapered solid FSC® timber or recycled aluminium legs.
- FSC® WISA plywood frame.
- Seat & back constructed from engineered layers of CMHR sustainable (Orbis™) foams.
- Utilise the rear panel with additional work tables or laptop shelves.
- This design can be tailored on request.

#### ENVIRONMENTAL DATA

Component material	Material type by mass (%Kg)	Embodied energy (MJ) <sup>1</sup>	Embodied carbon (KgCO2e) <sup>2</sup>	Recycled content by mass (Kg) <sup>3</sup>	Recyclability by Mass (Kg) <sup>4</sup>
Plywood	51.3 %	809.1	57.7	30.8 %	48.8 %
Cardboard	1.5 %	12.1	1.1	1.2 %	1.5 %
Laminate & MDF	8.25 %	0.8	152.6	0.0 %	4.54 %
Fabric	19.0 %	622.0	32.5	7.6 %	18.1 %
PU foam	0.4 %	32.6	1.4	0.04 %	0.3 %
Sustainable foam	8.9 %	487.3	11.4	8.0 %	7.2 %
Steel	1.5 %	31.7	2.2	0.6 %	1.5 %
Aluminium	6.3 %	1019.2	54.2	2.5 %	6.2 %
Plastic	0.03 %	3.9	0.2	0.0 %	0.0 %
Recycled Plastic	2.7 %	253.6	5.4	2.2 %	1.4 %
		<b>3424.0 MJ</b>	<b>175.8 KgCO2e</b>	<b>53.0 % Kg</b>	<b>89.4 % Kg</b>

- No prohibited or restricted substances, including heavy metals, phthalates or biocides
- No SVHCs present at concentrations >0.1% in accordance with REACH
- Water-based adhesives used in manufacturing
- Low formaldehyde emissions of wood-based components (<20µg/m³)
- All Scorecard data independently verified by Dragonfly Sustainability
- Data is calculated using a non-specific fabric & laminate surface, speak to us about using recycled or environmentally friendly materials.

1. Total primary energy consumed from direct and indirect process (A1-A3) expressed in Megajoules (MJ)
2. Total greenhouse gas emissions emitted (A1-A3) expressed in carbon dioxide equivalent (KgCO2e)
3. Recycled content calculated in accordance with the ISO 14021 standard for pre- and post-consumer materials and aligned with agreed definitions for both.
4. Recyclable content calculated in line with established definitions whereby a product, or material, is recyclable if it is effectively sorted, processed and/or sold as recycle in the UK.


#### ADDITIONAL INFORMATION

- Learn more at <https://davisonhighley.co.uk/sustainability/>
- View the range at <https://davisonhighley.co.uk/products/wunderwall-rolo/>
- Download 2D & 3D CAD at <https://davisonhighley.co.uk/resources/product-images/>





### Wunderwall-Rolo 2 seater booth with flat ends on timber legs WDR-ROL 02/F-TL



- Booth system using our Rolo banquette range.
- Suitable for work, breakout, cafe, restaurant areas.
- Upholstery finishes are available from our standard price bands, however not all fabrics are suitable for the organic shape of the design. Please contact us to discuss the suitability of fabrics when ordering. Leather, vinyl, velvet's and mohair's are not available.
- Option of turned tapered solid FSC® timber or recycled aluminium legs.
- FSC® WISA plywood frame.
- Seat & back constructed from engineered layers of CMHR sustainable (Orbis™) foams.
- Utilise the rear panel with additional work tables or laptop shelves.
- This design can be tailored on request.

#### ENVIRONMENTAL DATA

Component material	Material type by mass (%Kg)	Embodied energy (MJ) <sup>1</sup>	Embodied carbon (KgCO2e) <sup>2</sup>	Recycled content by mass (Kg) <sup>3</sup>	Recyclability by Mass (Kg) <sup>4</sup>
Plywood	51.7 %	809.1	57.7	31.0 %	49.1%
Cardboard	1.6 %	12.1	1.1	1.2 %	1.5%
Laminate & MDF	8.30 %	152.6	9.70	0.0 %	4.57%
Timber leg	0.6 %	2.2	0.1	0.0 %	0.5%
Fabric	19.2 %	622.0	32.5	7.7 %	18.2%
PU foam	0.4 %	32.6	1.4	0.04 %	0.3%
Sustainable foam	9.0 %	487.3	11.4	8.1 %	7.2%
Steel	1.5 %	31.7	2.2	0.6 %	1.5%
Aluminium	5.1 %	818.4	43.5	2.0 %	5.0%
Recycled Plastic	2.7 %	253.6	5.4	2.2 %	1.4%
		<b>3221.6</b> MJ	<b>165.0</b> KgCO2e	<b>52.8 %</b> Kg	<b>89.3 %</b> Kg

- No prohibited or restricted substances, including heavy metals, phthalates or biocides
- No SVHCs present at concentrations >0.1% in accordance with REACH
- Water-based adhesives used in manufacturing
- Low formaldehyde emissions of wood-based components (<20µg/m³)
- All Scorecard data independently verified by Dragonfly Sustainability
- Data is calculated using a non-specific fabric & laminate surface, speak to us about using recycled or environmentally friendly materials.

1. Total primary energy consumed from direct and indirect process (A1-A3) expressed in Megajoules (MJ)
2. Total greenhouse gas emissions emitted (A1-A3) expressed in carbon dioxide equivalent (KgCO2e)
3. Recycled content calculated in accordance with the ISO 14021 standard for pre- and post-consumer materials and aligned with agreed definitions for both.
4. Recyclable content calculated in line with established definitions whereby a product, or material, is recyclable if it is effectively sorted, processed and/or sold as recycle in the UK.


#### ADDITIONAL INFORMATION

- Learn more at <https://davisonhighley.co.uk/sustainability/>
- View the range at <https://davisonhighley.co.uk/products/wunderwall-rolo/>
- Download 2D & 3D CAD at <https://davisonhighley.co.uk/resources/product-images/>





### Wunderwall-Rolo 2 seater flat back booth with flat ends on metal legs WDR-ROL 02-FB/F-ML



- Booth system using our Rolo banquette range.
- Suitable for work, breakout, cafe, restaurant areas.
- Upholstery finishes are available from our standard price bands, however not all fabrics are suitable for the organic shape of the design. Please contact us to discuss the suitability of fabrics when ordering. Leather, vinyl, velvet's and mohair's are not available.
- Option of turned tapered solid FSC® timber or recycled aluminium legs.
- FSC® WISA plywood frame.
- Seat & back constructed from engineered layers of CMHR sustainable (Orbis™) foams.
- Utilise the rear panel with additional work tables or laptop shelves.
- This design can be tailored on request.

#### ENVIRONMENTAL DATA

Component material	Material type by mass (%Kg)	Embodied energy (MJ) <sup>1</sup>	Embodied carbon (KgCO2e) <sup>2</sup>	Recycled content by mass (Kg) <sup>3</sup>	Recyclability by Mass (Kg) <sup>4</sup>
Plywood	50.8 %	788.6	56.2	30.5 %	48.3 %
Cardboard	1.3 %	9.9	0.9	1.0 %	1.3 %
Laminate & MDF	8.38 %	152.6	9.70	0.0 %	4.6 %
Fabric	19.3 %	622.0	32.5	7.7 %	18.4 %
PU foam	0.4 %	32.6	1.4	0.04 %	0.3 %
Sustainable foam	9.2 %	492.9	11.6	8.2 %	7.3 %
Steel	1.5 %	31.7	2.2	0.6 %	1.5 %
Aluminium	6.4 %	1019.2	54.2	2.5 %	6.3 %
Plastic	0.03 %	3.9	0.2	0.0 %	0.0 %
Recycled Plastic	2.7 %	245.3	5.2	2.1 %	1.3 %
		<b>3398.6 MJ</b>	<b>174.1 KgCO2e</b>	<b>52.8 % Kg</b>	<b>89.3 % Kg</b>

- No prohibited or restricted substances, including heavy metals, phthalates or biocides
- No SVHCs present at concentrations >0.1% in accordance with REACH
- Water-based adhesives used in manufacturing
- Low formaldehyde emissions of wood-based components (<20µg/m³)
- All Scorecard data independently verified by Dragonfly Sustainability
- Data is calculated using a non-specific fabric & laminate surface, speak to us about using recycled or environmentally friendly materials.

1. Total primary energy consumed from direct and indirect process (A1-A3) expressed in Megajoules (MJ)
2. Total greenhouse gas emissions emitted (A1-A3) expressed in carbon dioxide equivalent (KgCO2e)
3. Recycled content calculated in accordance with the ISO 14021 standard for pre- and post-consumer materials and aligned with agreed definitions for both.
4. Recyclable content calculated in line with established definitions whereby a product, or material, is recyclable if it is effectively sorted, processed and/or sold as recycle in the UK.


#### ADDITIONAL INFORMATION

- 🔍 Learn more at <https://davisonhighley.co.uk/sustainability/>
- 👁️ View the range at <https://davisonhighley.co.uk/products/wunderwall-rolo/>
- 📄 Download 2D & 3D CAD at <https://davisonhighley.co.uk/resources/product-images/>





### Wunderwall-Rolo 2 seater flat back booth with flat ends on timber legs WDR-ROL 02-FB/F-TL



- Booth system using our Rolo banquette range.
- Suitable for work, breakout, cafe, restaurant areas.
- Upholstery finishes are available from our standard price bands, however not all fabrics are suitable for the organic shape of the design. Please contact us to discuss the suitability of fabrics when ordering. Leather, vinyl, velvet's and mohair's are not available.
- Option of turned tapered solid FSC® timber or recycled aluminium legs.
- FSC® WISA plywood frame.
- Seat & back constructed from engineered layers of CMHR sustainable (Orbis™) foams.
- Utilise the rear panel with additional work tables or laptop shelves.
- This design can be tailored on request.

#### ENVIRONMENTAL DATA

Component material	Material type by mass (%Kg)	Embodied energy (MJ) <sup>1</sup>	Embodied carbon (KgCO2e) <sup>2</sup>	Recycled content by mass (Kg) <sup>3</sup>	Recyclability by Mass (Kg) <sup>4</sup>
Plywood	51.2 %	788.6	56.2	30.7%	48.6%
Cardboard	1.3 %	9.9	0.9	1.0%	1.3%
Laminate & MDF	8.44 %	152.6	9.70	0.0 %	4.64%
Timber leg	0.6 %	2.2	0.1	0.0 %	0.5 %
Fabric	19.5 %	622.0	32.5	7.8%	18.5%
PU foam	0.4 %	32.6	1.4	0.04%	0.3%
Sustainable foam	9.2 %	492.9	11.6	8.3%	7.3%
Steel	1.5 %	31.7	2.2	0.6%	1.5%
Aluminium	5.1 %	818.4	43.5	2.1%	5.1%
Recycled Plastic	2.7 %	245.3	5.2	2.1 %	1.3%
		<b>3196.1 MJ</b>	<b>163.3 KgCO2e</b>	<b>52.7 % Kg</b>	<b>89.1 % Kg</b>

- No prohibited or restricted substances, including heavy metals, phthalates or biocides
- No SVHCs present at concentrations >0.1% in accordance with REACH
- Water-based adhesives used in manufacturing
- Low formaldehyde emissions of wood-based components (<20µg/m³)
- All Scorecard data independently verified by Dragonfly Sustainability
- Data is calculated using a non-specific fabric & laminate surface, speak to us about using recycled or environmentally friendly materials.

1. Total primary energy consumed from direct and indirect process (A1-A3) expressed in Megajoules (MJ)
2. Total greenhouse gas emissions emitted (A1-A3) expressed in carbon dioxide equivalent (KgCO2e)
3. Recycled content calculated in accordance with the ISO 14021 standard for pre- and post-consumer materials and aligned with agreed definitions for both.
4. Recyclable content calculated in line with established definitions whereby a product, or material, is recyclable if it is effectively sorted, processed and/or sold as recydate in the UK.


#### ADDITIONAL INFORMATION

- Learn more at <https://davisonhighley.co.uk/sustainability/>
- View the range at <https://davisonhighley.co.uk/products/wunderwall-rolo/>
- Download 2D & 3D CAD at <https://davisonhighley.co.uk/resources/product-images/>





### Wunderwall-Rolo 4 seater booth with flat ends on metal legs WDR-ROL 04/F-ML



- Booth system using our Rolo banquette range.
- Suitable for work, breakout, cafe, restaurant areas.
- Upholstery finishes are available from our standard price bands, however not all fabrics are suitable for the organic shape of the design. Please contact us to discuss the suitability of fabrics when ordering. Leather, vinyl, velvet's and mohair's are not available.
- Option of turned tapered solid FSC® timber or recycled aluminium legs.
- FSC® WISA plywood frame.
- Seat & back constructed from engineered layers of CMHR sustainable (Orbis™) foams.
- Utilise the rear panel with additional work tables or laptop shelves.
- This design can be tailored on request.

#### ENVIRONMENTAL DATA

Component material	Material type by mass (%Kg)	Embodied energy (MJ) <sup>1</sup>	Embodied carbon (KgCO2e) <sup>2</sup>	Recycled content by mass (Kg) <sup>3</sup>	Recyclability by Mass (Kg) <sup>4</sup>
Plywood	48.7 %	900.2	64.2	29.2 %	46.3 %
Cardboard	1.9 %	17.2	1.6	1.5 %	1.8 %
Laminate & MDF	10.6 %	229.0	14.6	0.0 %	5.8 %
Fabric	17.5 %	671.8	35.1	7.0 %	16.7 %
PU foam	0.5 %	47.9	2.0	0.1 %	0.4 %
Sustainable foam	10.7 %	688.5	16.2	9.7 %	6.1 %
Steel	1.4 %	34.6	2.4	0.6 %	1.4 %
Aluminium	5.3 %	1019.2	54.2	2.1 %	5.3 %
Plastic	0.03 %	3.9	0.2	0.0 %	0.0 %
Recycled Plastic	3.3 %	366.3	7.8	2.7 %	1.7 %
		<b>3978.5 MJ</b>	<b>198.2 KgCO2e</b>	<b>52.8 % Kg</b>	<b>85.4 % Kg</b>

- No prohibited or restricted substances, including heavy metals, phthalates or biocides
- No SVHCs present at concentrations >0.1% in accordance with REACH
- Water-based adhesives used in manufacturing
- Low formaldehyde emissions of wood-based components (<20µg/m³)
- All Scorecard data independently verified by Dragonfly Sustainability
- Data is calculated using a non-specific fabric & laminate surface, speak to us about using recycled or environmentally friendly materials.

1. Total primary energy consumed from direct and indirect process (A1-A3) expressed in Megajoules (MJ)
2. Total greenhouse gas emissions emitted (A1-A3) expressed in carbon dioxide equivalent (KgCO2e)
3. Recycled content calculated in accordance with the ISO 14021 standard for pre- and post-consumer materials and aligned with agreed definitions for both.
4. Recyclable content calculated in line with established definitions whereby a product, or material, is recyclable if it is effectively sorted, processed and/or sold as recycle in the UK.


#### ADDITIONAL INFORMATION

- 🔍 Learn more at <https://davisonhighley.co.uk/sustainability/>
- 👁️ View the range at <https://davisonhighley.co.uk/products/wunderwall-rolo/>
- 📄 Download 2D & 3D CAD at <https://davisonhighley.co.uk/resources/product-images/>





### Wunderwall-Rolo 2 seater booth with flat ends on timber legs WDR-ROL 04/F-TL



- Booth system using our Rolo banquette range.
- Suitable for work, breakout, cafe, restaurant areas.
- Upholstery finishes are available from our standard price bands, however not all fabrics are suitable for the organic shape of the design. Please contact us to discuss the suitability of fabrics when ordering. Leather, vinyl, velvet's and mohair's are not available.
- Option of turned tapered solid FSC® timber or recycled aluminium legs.
- FSC® WISA plywood frame.
- Seat & back constructed from engineered layers of CMHR sustainable (Orbis™) foams.
- Utilise the rear panel with additional work tables or laptop shelves.
- This design can be tailored on request.

#### ENVIRONMENTAL DATA

Component material	Material type by mass (%Kg)	Embodied energy (MJ) <sup>1</sup>	Embodied carbon (KgCO2e) <sup>2</sup>	Recycled content by mass (Kg) <sup>3</sup>	Recyclability by Mass (Kg) <sup>4</sup>
Plywood	49.0 %	900.2	64.2	29.4 %	46.5 %
Cardboard	1.9 %	17.1	1.6	1.5 %	1.8 %
Laminate & MDF	10.6 %	229.0	14.6	0.0 %	5.8 %
Timber leg	0.5 %	2.2	0.1	0.0 %	0.4 %
Fabric	17.6 %	671.8	35.1	7.1 %	16.7 %
PU foam	0.5 %	47.9	2.0	0.1 %	0.4 %
Sustainable foam	10.8 %	688.5	16.2	9.7 %	6.1 %
Steel	1.4 %	34.6	2.4	0.6 %	1.4 %
Aluminium	4.3 %	818.4	43.5	1.7 %	4.3 %
Recycled Plastic	3.3 %	366.3	7.8	2.7 %	1.7 %
		<b>3775.9</b> MJ	<b>187.4</b> KgCO2e	<b>52.7 %</b> Kg	<b>85.2 %</b> Kg

- No prohibited or restricted substances, including heavy metals, phthalates or biocides
- No SVHCs present at concentrations >0.1% in accordance with REACH
- Water-based adhesives used in manufacturing
- Low formaldehyde emissions of wood-based components (<20µg/m³)
- All Scorecard data independently verified by Dragonfly Sustainability
- Data is calculated using a non-specific fabric & laminate surface, speak to us about using recycled or environmentally friendly materials.

1. Total primary energy consumed from direct and indirect process (A1-A3) expressed in Megajoules (MJ)

2. Total greenhouse gas emissions emitted (A1-A3) expressed in carbon dioxide equivalent (KgCO2e)

3. Recycled content calculated in accordance with the ISO 14021 standard for pre- and post-consumer materials and aligned with agreed definitions for both.

4. Recyclable content calculated in line with established definitions whereby a product, or material, is recyclable if it is effectively sorted, processed and/or sold as recycle in the UK.

#### ADDITIONAL INFORMATION

🔍 Learn more at <https://davisonhighley.co.uk/sustainability/>


👁️ View the range at <https://davisonhighley.co.uk/products/wunderwall-rolo/>

📄 Download 2D & 3D CAD at <https://davisonhighley.co.uk/resources/product-images/>





### Wunderwall-Rolo 4 seater flat back booth with flat ends on metal legs WDR-ROL 04-FB/F-ML



- Booth system using our Rolo banquette range.
- Suitable for work, breakout, cafe, restaurant areas.
- Upholstery finishes are available from our standard price bands, however not all fabrics are suitable for the organic shape of the design. Please contact us to discuss the suitability of fabrics when ordering. Leather, vinyl, velvet's and mohair's are not available.
- Option of turned tapered solid FSC® timber or recycled aluminium legs.
- FSC® WISA plywood frame.
- Seat & back constructed from engineered layers of CMHR sustainable (Orbis™) foams.
- Utilise the rear panel with additional work tables or laptop shelves.
- This design can be tailored on request.

#### ENVIRONMENTAL DATA

Component material	Material type by mass (%Kg)	Embodied energy (MJ) <sup>1</sup>	Embodied carbon (KgCO2e) <sup>2</sup>	Recycled content by mass (Kg) <sup>3</sup>	Recyclability by Mass (Kg) <sup>4</sup>
Plywood	48.1 %	879.6	62.7	28.9 %	45.7 %
Cardboard	1.9 %	17.1	1.6	1.5 %	1.9 %
Laminate & MDF	10.7 %	229.0	14.6	0.0 %	5.9 %
Fabric	17.7 %	671.8	35.1	7.1 %	16.8 %
PU foam	0.5 %	47.9	2.0	0.1 %	0.4 %
Sustainable foam	11.0 %	696.8	16.3	9.9 %	6.2 %
Steel	1.4 %	34.6	2.4	0.6 %	1.4 %
Aluminium	5.4 %	1019.2	54.2	2.2 %	5.3 %
Plastic	0.03 %	3.9	0.2	0.0 %	0.0 %
Recycled Plastic	3.3 %	354.3	7.5	2.6 %	1.6 %
		<b>3954.2 MJ</b>	<b>196.6 KgCO2e</b>	<b>52.7 % Kg</b>	<b>85.2 % Kg</b>

- No prohibited or restricted substances, including heavy metals, phthalates or biocides
- No SVHCs present at concentrations >0.1% in accordance with REACH
- Water-based adhesives used in manufacturing
- Low formaldehyde emissions of wood-based components (<20µg/m³)
- All Scorecard data independently verified by Dragonfly Sustainability
- Data is calculated using a non-specific fabric & laminate surface, speak to us about using recycled or environmentally friendly materials.

1. Total primary energy consumed from direct and indirect process (A1-A3) expressed in Megajoules (MJ)
2. Total greenhouse gas emissions emitted (A1-A3) expressed in carbon dioxide equivalent (KgCO2e)
3. Recycled content calculated in accordance with the ISO 14021 standard for pre- and post-consumer materials and aligned with agreed definitions for both.
4. Recyclable content calculated in line with established definitions whereby a product, or material, is recyclable if it is effectively sorted, processed and/or sold as recycle in the UK.


#### ADDITIONAL INFORMATION

- 🔍 Learn more at <https://davisonhighley.co.uk/sustainability/>
- 👉 View the range at <https://davisonhighley.co.uk/products/wunderwall-rolo/>
- 📄 Download 2D & 3D CAD at <https://davisonhighley.co.uk/resources/product-images/>





### Wunderwall-Rolo 4 seater flat back booth with flat ends on timber legs WDR-ROL 04-FB/F-TL



- Booth system using our Rolo banquette range.
- Suitable for work, breakout, cafe, restaurant areas.
- Upholstery finishes are available from our standard price bands, however not all fabrics are suitable for the organic shape of the design. Please contact us to discuss the suitability of fabrics when ordering. Leather, vinyl, velvet's and mohair's are not available.
- Option of turned tapered solid FSC® timber or recycled aluminium legs.
- FSC® WISA plywood frame.
- Seat & back constructed from engineered layers of CMHR sustainable (Orbis™) foams.
- Utilise the rear panel with additional work tables or laptop shelves.
- This design can be tailored on request.

#### ENVIRONMENTAL DATA

Component material	Material type by mass (%Kg)	Embodied energy (MJ) <sup>1</sup>	Embodied carbon (KgCO2e) <sup>2</sup>	Recycled content by mass (Kg) <sup>3</sup>	Recyclability by Mass (Kg) <sup>4</sup>
Plywood	48.4 %	879.6	62.7	29.0 %	46.0 %
Cardboard	1.9 %	17.1	1.6	1.5 %	1.9 %
Laminate & MDF	10.7 %	229.0	14.6	0.0 %	5.9 %
Timber leg	0.5 %	2.2	0.1	0.0 %	0.4 %
Fabric	17.8 %	671.8	35.1	7.1 %	16.9 %
PU foam	0.5 %	47.9	2.0	0.1 %	0.4 %
Sustainable foam	11.1 %	696.8	16.3	10.0 %	6.2 %
Steel	1.4 %	34.6	2.4	0.6 %	1.4 %
Aluminium	4.4 %	818.4	43.5	1.7 %	4.3 %
Recycled Plastic	3.3 %	354.3	7.5	2.6 %	1.6 %
		<b>3751.7 MJ</b>	<b>185.9 KgCO2e</b>	<b>52.6 % Kg</b>	<b>85.0 % Kg</b>

- No prohibited or restricted substances, including heavy metals, phthalates or biocides
- No SVHCs present at concentrations >0.1% in accordance with REACH
- Water-based adhesives used in manufacturing
- Low formaldehyde emissions of wood-based components (<20µg/m³)
- All Scorecard data independently verified by Dragonfly Sustainability
- Data is calculated using a non-specific fabric & laminate surface, speak to us about using recycled or environmentally friendly materials.

1. Total primary energy consumed from direct and indirect process (A1-A3) expressed in Megajoules (MJ)

2. Total greenhouse gas emissions emitted (A1-A3) expressed in carbon dioxide equivalent (KgCO2e)

3. Recycled content calculated in accordance with the ISO 14021 standard for pre- and post-consumer materials and aligned with agreed definitions for both.

4. Recyclable content calculated in line with established definitions whereby a product, or material, is recyclable if it is effectively sorted, processed and/or sold as recycle in the UK.

#### ADDITIONAL INFORMATION

🔍 Learn more at <https://davisonhighley.co.uk/sustainability/>


👉 View the range at <https://davisonhighley.co.uk/products/wunderwall-rolo/>

📄 Download 2D & 3D CAD at <https://davisonhighley.co.uk/resources/product-images/>





### Wunderwall-Rolo 4 seater booth with rounded ends on metal legs WDR-ROL 04/R-ML



- Booth system using our Rolo banquette range.
- Suitable for work, breakout, cafe, restaurant areas.
- Upholstery finishes are available from our standard price bands, however not all fabrics are suitable for the organic shape of the design. Please contact us to discuss the suitability of fabrics when ordering. Leather, vinyl, velvet's and mohair's are not available.
- Option of turned tapered solid FSC® timber or recycled aluminium legs.
- FSC® WISA plywood frame.
- Seat & back constructed from engineered layers of CMHR sustainable (Orbis™) foams.
- Utilise the rear panel with additional work tables or laptop shelves.
- This design can be tailored on request.

#### ENVIRONMENTAL DATA

Component material	Material type by mass (%Kg)	Embodied energy (MJ) <sup>1</sup>	Embodied carbon (KgCO2e) <sup>2</sup>	Recycled content by mass (Kg) <sup>3</sup>	Recyclability by Mass (Kg) <sup>4</sup>
Plywood	46.4 %	993.9	70.9	27.8 %	44.0 %
Cardboard	1.9 %	19.9	1.9	1.5 %	1.8 %
Laminate & MDF	10.7 %	270.2	17.2	0.0 %	5.9 %
Fabric	17.4 %	771.3	40.3	6.9 %	16.5 %
PU foam	0.5 %	51.8	2.2	0.1 %	0.4 %
Sustainable foam	13.8 %	1027.4	24.1	12.4 %	5.3 %
Steel	1.2 %	34.6	2.4	0.5 %	1.2 %
Aluminium	4.6 %	1019.2	54.2	1.8 %	4.6 %
Plastic	0.02 %	3.9	0.2	0.0 %	0.0 %
Recycled Plastic	3.5 %	450.8	9.6	2.8 %	1.8 %
		<b>4642.8 MJ</b>	<b>222.8 KgCO2e</b>	<b>53.9 % Kg</b>	<b>81.4 % Kg</b>

- No prohibited or restricted substances, including heavy metals, phthalates or biocides
- No SVHCs present at concentrations >0.1% in accordance with REACH
- Water-based adhesives used in manufacturing
- Low formaldehyde emissions of wood-based components (<20µg/m³)
- All Scorecard data independently verified by Dragonfly Sustainability
- Data is calculated using a non-specific fabric & laminate surface, speak to us about using recycled or environmentally friendly materials.

1. Total primary energy consumed from direct and indirect process (A1-A3) expressed in Megajoules (MJ)
2. Total greenhouse gas emissions emitted (A1-A3) expressed in carbon dioxide equivalent (KgCO2e)
3. Recycled content calculated in accordance with the ISO 14021 standard for pre- and post-consumer materials and aligned with agreed definitions for both.
4. Recyclable content calculated in line with established definitions whereby a product, or material, is recyclable if it is effectively sorted, processed and/or sold as recycle in the UK.


#### ADDITIONAL INFORMATION

- 🔍 Learn more at <https://davisonhighley.co.uk/sustainability/>
- 👉 View the range at <https://davisonhighley.co.uk/products/wunderwall-rolo/>
- 📄 Download 2D & 3D CAD at <https://davisonhighley.co.uk/resources/product-images/>





### Wunderwall-Rolo 4 seater flat back booth with flat ends on timber legs WDR-ROL 04-FB/F-TL



- Booth system using our Rolo banquette range.
- Suitable for work, breakout, cafe, restaurant areas.
- Upholstery finishes are available from our standard price bands, however not all fabrics are suitable for the organic shape of the design. Please contact us to discuss the suitability of fabrics when ordering. Leather, vinyl, velvet's and mohair's are not available.
- Option of turned tapered solid FSC® timber or recycled aluminium legs.
- FSC® WISA plywood frame.
- Seat & back constructed from engineered layers of CMHR sustainable (Orbis™) foams.
- Utilise the rear panel with additional work tables or laptop shelves.
- This design can be tailored on request.

#### ENVIRONMENTAL DATA

Component material	Material type by mass (%Kg)	Embodied energy (MJ) <sup>1</sup>	Embodied carbon (KgCO2e) <sup>2</sup>	Recycled content by mass (Kg) <sup>3</sup>	Recyclability by Mass (Kg) <sup>4</sup>
Plywood	46.6 %	993.9	70.9	28.0%	44.3 %
Cardboard	1.9 %	19.9	1.9	1.5%	1.8 %
Laminate & MDF	10.8 %	270.2	17.2	0.0 %	5.9 %
Timber leg	0.4 %	2.2	0.1	0.0 %	0.3 %
Fabric	17.4 %	771.3	40.3	7.0%	16.6 %
PU foam	0.5 %	51.8	2.2	0.1%	0.4 %
Sustainable foam	13.9 %	1027.4	24.1	12.5%	5.3 %
Steel	1.2 %	34.6	2.4	0.5%	1.2 %
Aluminium	3.7 %	818.4	43.5	1.5%	3.7 %
Recycled Plastic	3.5 %	450.8	9.6	2.8%	1.8 %
		<b>4440.4 MJ</b>	<b>212.1 KgCO2e</b>	<b>53.8 % Kg</b>	<b>81.3 % Kg</b>

- No prohibited or restricted substances, including heavy metals, phthalates or biocides
- No SVHCs present at concentrations >0.1% in accordance with REACH
- Water-based adhesives used in manufacturing
- Low formaldehyde emissions of wood-based components (<20µg/m³)
- All Scorecard data independently verified by Dragonfly Sustainability
- Data is calculated using a non-specific fabric & laminate surface, speak to us about using recycled or environmentally friendly materials.

1. Total primary energy consumed from direct and indirect process (A1-A3) expressed in Megajoules (MJ)

2. Total greenhouse gas emissions emitted (A1-A3) expressed in carbon dioxide equivalent (KgCO2e)

3. Recycled content calculated in accordance with the ISO 14021 standard for pre- and post-consumer materials and aligned with agreed definitions for both.

4. Recyclable content calculated in line with established definitions whereby a product, or material, is recyclable if it is effectively sorted, processed and/or sold as recycle in the UK.

#### ADDITIONAL INFORMATION

🔍 Learn more at <https://davisonhighley.co.uk/sustainability/>

👉 View the range at <https://davisonhighley.co.uk/products/wunderwall-rolo/>

📄 Download 2D & 3D CAD at <https://davisonhighley.co.uk/resources/product-images/>

